

Super Silt Fence

Sediment Control



QUALITY - SUPPORT - EXPERTISE



Super Silt Fence

Description

Super Silt Fence is a temporary barrier of geotextile fabric and a wire mesh fence that is used to intercept flows, reduce their velocity and impound sediment-laden runoff from small catchment areas.

Applications

Prevents sediment movement from:

- Soil stockpiles
- Swale drains
- Riparian batters
- Steep batters
- Spillways
- Floodways

We recommend installers of super silt fence refer to their local Regional Council specifications such as the ARC Technical Publication No 90.

PROPERTY	TEST METHOD	TYPICAL VALUE
ROLL SIZE		1.3m x 50m
MATERIAL		Woven UV stabilised polypropylene
STRUCTURE		Double layer sewn @900mm
COLOUR		Black
STEEL MESH FENCE		0.9m x 50m
GRAB STRENGTH (md/cd)	ASTM D4632	450N
APPARENT OPENING SIZE (AOS)	ASTM D4751	0.5mm



NEW ZEALAND

AUCKLAND
(64) 9 634 6495

HAMILTON
(64) 21 732 178

NAPIER
(64) 21 916 736

CHRISTCHURCH
(64) 3 349 5600

AUSTRALIA

MELBOURNE
(03) 8586 9111

SYDNEY
(02) 8785 8800

NEWCASTLE
(02) 4951 2688

COFFS HARBOUR
(02) 6653 5706

PERTH
(08) 6305 0561

ADELAIDE
(08) 8162 5855

HOBART
(03) 6273 0511

BRISBANE
(07) 3279 1588

TOWNSVILLE
(07) 4774 8222

BUNDABERG
(07) 4155 9968

GOLD COAST
(07) 5594 8600

DARWIN
0407 523 669

0800 60 60 20

(Freephone NZ only)

GEOFABRICS.CO.NZ
GEOFABRICS.COM.AU

Follow
Geofabrics on



YouTube

GEOFABRICS®

The information contained in this brochure is general in nature. In particular the content of this brochure does not take account of specific conditions that may be present at your site. Site conditions may alter the performance and longevity of the product and in extreme cases may make the product wholly unsuitable. Actual dimensions and performance may vary. If your project requires accuracy to a certain specified tolerance level you must advise us before ordering the product from us. We can then advise whether the product will meet the required tolerances. Where provided, installation instructions cover installation of product in site conditions that are conducive to its use and optimum performance. If you have any doubts as to the installation instructions or their application to your site, please contact us for clarification before commencing installation. This brochure should not be used for construction purposes and in all cases we recommend that advice be obtained from a suitably qualified consulting engineer or industry specialist before proceeding with installation. This brochure is current as at the date printed below. Geofabrics New Zealand Ltd may make amendments to this document at any time. Please refer to our website, or contact our nearest sales office to ensure you have the most current version. © Copyright held by Geofabrics New Zealand Ltd. All rights are reserved and no part of this publication may be copied without prior permission.